



Administrative Center · 602 Center Parkway · Yorkville, Illinois 60560 · 630-553-4382 · y115.org

ADDENDUM 2
Request for Proposal (RFP) Document for:

**Black and White
and
Color Copiers**

RFP Responses Due:

Friday, February 15, 2019 @ 10:00 a.m.

Location:

**Yorkville Community Unit School District 115
602A Center Parkway
Yorkville, Illinois 60560**

Under INSTRUCTIONS & CONDITIONS: ITEM #15 Cost of Installation & Support of Papercut:

1. **Does the district currently have Papercut MF or do you want the quote to reflect a total NEW install?**

The district will be a new user with Papercut. We currently use Equatric.

2. **If a new install is wanted, how many licensed users do you need?**

The total amount of users we anticipate is 900.

3. **Is the district going to use an RFID Proxy type of card for release or PIN Codes? If RFID Proxy type card release we would need to know what type of card it is as we would have to match up card readers.**

The district will use a RFID fob card and a image is attached.

4. **Do you want the PaperCut solution with 48 months of Upgrade Support included?**

Yes the district would like Papercut to match the length of the copier agreement.

5. **Do you want this priced per unit or as a separate solution cost to cover the project?**

Please provide cost per unit.

Under TECHNICAL & BUSINESS SPECIFICATIONS: ITEM #5:

1. **Does the district currently have Papercut MF or do you want the quote to reflect a total NEW install?**

The district will be a new user with Papercut. We currently use Equatric.

2. **For the small black multifunction copiers does the district want these units equipped with hole punch and large capacity 8 1/2 x 11 feeders on this unit like the Large black and color above, or is (2) adjustable 500 sheet drawers with cabinet acceptable?**

The adjustable 500 sheet drawer is fine. We do not need finishing or Papercut on these machines.

Under VENDOR PROPOSAL (Attachment A):

1. **Does the district need 1 page filled out for each unit to that location or since the units are being equipped the same do an Attachment A for each model**

We are fine with using an Attachment A for each model that is being proposed.

2. **Can you clarify why the district would need the pricing and yields for the toner and the staples if the click charge would include these? Does the district possibly want service only without toner and staples? If the district wants supplies inclusive I would also add S&H as being included.**

We want the proposal to include toner and staples. We will not be purchasing these separate so both toner and staples should be included in the proposal.

Miscellaneous Questions:

1. **Can the district provide current meter reads of all current copiers?**

Meter reads are attached for reference.

2. **Can the district provide tech specs for the key fobs current being used?**

Tech specs for the key fobs currently being used in the district are attached for reference.

3. **The breakout table on Pages 9 and 10 is incorrect.**

Please see the attached revised table with the updated quantities.

4. **How many total users will be using the machines?**

The total amount of users we anticipate is 900.

5. **How many years of assurance is needed?**

48 months for software support.

6. **How many print servers will be in use?**

The district will use one print server for all copiers.

infinias Access Control Key Fob



S-ACC-AKT

Key Features & Benefits

- Constructed of durable synthetic resin
- 125 KHz prox
- Wear resistant coating applied after printing to prevent fading of key-fob number
- Slim design
- Easily carried even on key-chains with the most keys

3XLOGIC

10385 Westmoor Drive, Suite 210, Westminster, CO 80021 | www.3xlogic.com | (877) 3XLOGIC

© 2016 3xLOGIC, Inc. All rights reserved. Information in this document is subject to change without notice. 3xLOGIC and the 3xLOGIC logo are trademarks of 3xLOGIC, Inc. All other trademarks are the property of their respective owners. Revised: May 11, 2016 1:59 PM

Monday, February 4, 2019 11:09:27 AM
 Yorkville Community School District 115
 Ryan Adkins
 Unknown
 1/26/2019 to 2/4/2019 - Last 30 Days

Date:
 Client Name:
 Client Contact Information:
 Site/Site Code:
 Meter Analysis Period:

Report Summary:

Meter Comparison

Account Name	Location	Manufacturer	Model	Mono Pages Last Meter	Color Pages Last Meter	Last Meter Date
Yorkville Community School District 115	ACES - MAIN OFFICE, 2377 AUTUMN CREEK BLVD, YORKVILLE, IL, 60560	CANON	IR-ADV C5030	324259	246152	2/4/2019
Yorkville Community School District 115	RMS - MAIN OFFICE, 920 PRAIRIE CROSSING DRIVE, YORKVILLE, IL, 60560	CANON	IR-ADV C5030	332724	307280	2/4/2019
Yorkville Community School District 115	YHS - MAIN OFFICE, 797 GAME FARM ROAD, YORKVILLE, IL, 60560	CANON	IR-ADV C5030	482268	375518	2/4/2019
Yorkville Community School District 115	BBES - MAIN OFFICE, 427 BRISTOL BAY DRIVE, YORKVILLE, IL, 60560	CANON	IR-ADV C5030	281273	213114	2/4/2019
Yorkville Community School District 115	BGS - MAIN OFFICE, 23 HUNT ST, BRISTOL, IL, 60512	CANON	IR-ADV C5030	288380	175196	2/4/2019
Yorkville Community School District 115	D.O. - IT OFFICE, 602A CENTER PARKWAY DISTRICT OFFICE, YORKVILLE, IL, 60560	CANON	IR-ADV C5045	395437	352913	2/4/2019
Yorkville Community School District 115	Y/S - MAIN OFFICE, 103 SCHOOL HOUSE RD, YORKVILLE, IL, 60560	CANON	IR-ADV C5030	261265	219307	2/4/2019
Yorkville Community School District 115	YGS - MAIN OFFICE, 201 SOMONAUK STREET, YORKVILLE, IL, 60560	CANON	IR-ADV C5030	219946	152801	2/4/2019
Yorkville Community School District 115	YHSA - MAIN OFFICE, 702 GAME FARM ROAD, YORKVILLE, IL, 60560	CANON	IR-ADV C5030	268178	142038	2/4/2019
Yorkville Community School District 115	CCGS - MAIN OFFICE, 901 MILL STREET, YORKVILLE, IL, 60560	CANON	IR-ADV C5030	160748	177496	2/4/2019
Yorkville Community School District 115	RMS - ROOM 2206, 920 PRAIRIE CROSSING DRIVE, YORKVILLE, IL, 60560	XEROX	D110 Copier-Printer	3096519	0	2/4/2019
Yorkville Community School District 115	GRES - COPY ROOM, 3142 GRANDE TRAIL, YORKVILLE, IL, 60560	XEROX	D110 Copier-Printer	5196588	0	2/4/2019
Yorkville Community School District 115	RMS - ROOM 1408, 920 PRAIRIE CROSSING DRIVE, YORKVILLE, IL, 60560	XEROX	D110 Copier-Printer	1752631	0	2/4/2019
Yorkville Community School District 115	YHS - COPY ROOM - ROOM C218, 797 GAME FARM ROAD, YORKVILLE, IL, 60560	XEROX	D110 Copier-Printer	2684366	0	2/4/2019
Yorkville Community School District 115	BBES - COPY ROOM, 427 BRISTOL BAY DRIVE, YORKVILLE, IL, 60560	XEROX	D110 Copier-Printer	6012306	0	2/4/2019
Yorkville Community School District 115	ACES - COPY ROOM, 2377 AUTUMN CREEK BLVD, YORKVILLE, IL, 60560	XEROX	D110 Copier-Printer	5761142	0	2/4/2019
Yorkville Community School District 115	YHSA - COPY ROOM, 702 GAME FARM ROAD, YORKVILLE, IL, 60560	XEROX	D110 Copier-Printer	5782134	0	2/4/2019
Yorkville Community School District 115	Y/S - COPY ROOM, 103 SCHOOL HOUSE RD, YORKVILLE, IL, 60560	XEROX	D110 Copier-Printer	4896619	0	2/4/2019
Yorkville Community School District 115	CCGS - COPY ROOM, 901 MILL STREET, YORKVILLE, IL, 60560	XEROX	D110 Copier-Printer	4081065	0	2/4/2019
Yorkville Community School District 115	YHS - 797 GAME FARM ROAD, YORKVILLE, IL, 60560	XEROX	WorkCentre 7125	126699	131374	2/4/2019
Yorkville Community School District 115	D.O. - BUSINESS HALLWAY, 602A CENTER PARKWAY DISTRICT OFFICE, YORKVILLE, IL, 60560	XEROX	WorkCentre 7970	324842	417666	2/4/2019
Yorkville Community School District 115	YHS - COPY ROOM - ROOM D111, 797 GAME FARM ROAD, YORKVILLE, IL, 60560	XEROX	D95 Copier-Printer	4429424	0	2/4/2019
Yorkville Community School District 115	YHSA - COPY ROOM, 702 GAME FARM ROAD, YORKVILLE, IL, 60560	XEROX	WorkCentre 7845	427593	181519	2/4/2019
Yorkville Community School District 115	BBES - COPY ROOM, 427 BRISTOL BAY DRIVE, YORKVILLE, IL, 60560	XEROX	WorkCentre 7845	890141	443814	2/4/2019
Yorkville Community School District 115	RMS - ROOM 1015, 920 PRAIRIE CROSSING DRIVE, YORKVILLE, IL, 60560	XEROX	D110 Copier-Printer	5558673	0	2/4/2019
Yorkville Community School District 115	MAIN OFFICE, 797 GAME FARM ROAD, YORKVILLE, IL, 60560	XEROX	WorkCentre 7970	931875	255927	2/4/2019
Yorkville Community School District 115	RMS - ROOM 1015, 920 PRAIRIE CROSSING DRIVE, YORKVILLE, IL, 60560	XEROX	WorkCentre 7970	928063	852009	2/4/2019
Yorkville Community School District 115	GRES - COPY ROOM, 3142 GRANDE TRAIL, YORKVILLE, IL, 60560	XEROX	WorkCentre 7845	646940	811727	2/4/2019
Yorkville Community School District 115	Y/S - COPY ROOM, 103 SCHOOL HOUSE RD, YORKVILLE, IL, 60560	XEROX	WorkCentre 7845	865284	393939	2/4/2019
Yorkville Community School District 115	ACES - COPY ROOM, 2377 AUTUMN CREEK BLVD, YORKVILLE, IL, 60560	XEROX	WorkCentre 7845	1048276	647877	2/4/2019
Yorkville Community School District 115	D.O. - SUPERINTENDENT HALLWAY, 602A CENTER PARKWAY DISTRICT OFFICE, YORKVILLE, IL, 60560	XEROX	WorkCentre 7845	643005	163273	2/4/2019
Yorkville Community School District 115	YHS - COPY CAVE - ROOM 1036, 797 GAME FARM ROAD, YORKVILLE, IL, 60560	XEROX	D110 Copier-Printer	506434	0	2/4/2019
Yorkville Community School District 115	CCGS - COPY ROOM, 901 MILL STREET, YORKVILLE, IL, 60560	XEROX	WorkCentre 7845	675581	628671	2/4/2019
Yorkville Community School District 115	23 HUNT ST, BRISTOL, IL, 60512	XEROX	D110 Copier-Printer	4594644	0	2/4/2019
Yorkville Community School District 115	ROOM D132, 797 GAME FARM ROAD, YORKVILLE, IL, 60560	XEROX	D95 Copier-Printer	3270543	0	2/4/2019
Yorkville Community School District 115	ROOM E119, 797 GAME FARM ROAD, YORKVILLE, IL, 60560	XEROX	WorkCentre 7855	303983	106813	2/4/2019
Yorkville Community School District 115	YGS - ROOM 204, 201 SOMONAUK STREET, YORKVILLE, IL, 60560	XEROX	WorkCentre 7970	1608475	256275	2/4/2019
Yorkville Community School District 115	STUDENT SERVICES, 920 PRAIRIE CROSSING DRIVE, YORKVILLE, IL, 60560	XEROX	WorkCentre 6755	864222	0	2/4/2019
Yorkville Community School District 115	YHS - TRAINING ROOM, 797 GAME FARM ROAD, YORKVILLE, IL, 60560	XEROX	WorkCentre 6855	286857	0	2/4/2019

Building	B/W	Quantity	Color	Quantity
Administration Office Attachment A	95 ppm or greater, with finisher	1	75 ppm or greater, with finisher and fax	1
Buildings & Grounds/Technology Attachment B			45 ppm or greater, with finisher	1
Center for Innovation Attachment C	35 ppm or greater, with finisher	1		
Bristol Grade School Attachment D	95 ppm or greater, with finisher	1	75 ppm or greater, with finisher	1
	35 ppm or greater, with fax, no finisher	1		
Circle Center Elementary School Attachment E	95 ppm or greater, with finisher	1	75 ppm or greater, with finisher	1
	35 ppm or greater, with fax, no finisher	1		
Yorkville Grade School Attachment F	95 ppm or greater, with finisher	1	75 ppm or greater, with finisher	1
	35 ppm or greater, with fax, no finisher	1		
Autumn Creek Elementary School Attachment G	95 ppm or greater, with finisher	1	75 ppm or greater, with finisher	1
	35 ppm or greater, with fax, no finisher	1		
Bristol Bay Elementary School Attachment H	95 ppm or greater, with finisher	1	75 ppm or greater, with finisher	1
	35 ppm or greater, with fax, no finisher	1		
Grand Reserve Elementary School Attachment I	95 ppm or greater, with finisher	1	75 ppm or greater, with finisher	1
	35 ppm or greater, with fax, no finisher	1		
Yorkville Intermediate School Attachment J	95 ppm or greater, with finisher	1	75 ppm or greater, with finisher	1
	35 ppm or greater, with fax, no finisher	1		

Building	B/W	Quantity	Color	Quantity
Yorkville Middle School Attachment K	95 ppm or greater, with finisher 35 ppm or greater, with fax, no finisher	4 1	75 ppm or greater, with finisher	1
Yorkville High School Academy Attachment L	95 ppm or greater, with finisher 35 ppm or greater, with fax, no finisher	1 1	75 ppm or greater, with finisher	1
Yorkville High School Attachment M	95 ppm or greater, with finisher 35 ppm or greater, with fax, no finisher	5 1	75 ppm or greater, with finisher	1